



Extracellular vesicles in diagnostics and therapy of the ischaemic heart: Position Paper from the Working Group on Cellular Biology of the Heart of the European Society of Cardiology

Submitted by Beatrice Guillaumat on Wed, 08/28/2019 - 15:08

Titre	Extracellular vesicles in diagnostics and therapy of the ischaemic heart: Position Paper from the Working Group on Cellular Biology of the Heart of the European Society of Cardiology
Type de publication	Article de revue
Auteur	Sluijter, Joost Petrus Ger [1], Davidson, Sean Michael [2], Boulanger, Chantal M [3], Buzás, Edit Iren [4], de Kleijn, Dominique Paschalis [5], Engel, Felix Benedikt [6], Gircz, Zoltán [7], Hausenloy, Derek J [8], Kishore, Raj [9], Lecour, Sandrine [10], Leor, Jonathan [11], Madonna, Rosalinda [12], Perrino, Cinzia [13], Prunier, Fabrice [14], Sahoo, Susmita [15], Schiffelers, Ray Michel [16], Schulz, Rainer [17], Van Laake, Linda Wilhelmina [18], Ytrehus, Kirsti [19], Ferdinandy, Peter [20]
Editeur	OUP
Type	Article scientifique dans une revue à comité de lecture
Année	2018
Langue	Anglais
Date	Janvier 2018
Numéro	1
Pagination	19-34
Volume	114
Titre de la revue	Cardiovascular Research
ISSN	1755-3245
Mots-clés	Animals [21], Biomarkers [22], Cardiology [23], Cell Fractionation [24], Cell- and Tissue-Based Therapy [25], Cell-Derived Microparticles [26], Consensus [27], Diagnostic Techniques, Cardiovascular [28], exosomes [29], Humans [30], Myocardial Ischemia [31], Predictive Value of Tests [32]

Résumé en anglais

Extracellular vesicles (EVs)-particularly exosomes and microvesicles (MVs)-are attracting considerable interest in the cardiovascular field as the wide range of their functions is recognized. These capabilities include transporting regulatory molecules including different RNA species, lipids, and proteins through the extracellular space including blood and delivering these cargos to recipient cells to modify cellular activity. EVs powerfully stimulate angiogenesis, and can protect the heart against myocardial infarction. They also appear to mediate some of the paracrine effects of cells, and have therefore been proposed as a potential alternative to cell-based regenerative therapies. Moreover, EVs of different sources may be useful biomarkers of cardiovascular disease identities. However, the methods used for the detection and isolation of EVs have several limitations and vary widely between studies, leading to uncertainties regarding the exact population of EVs studied and how to interpret the data. The number of publications in the exosome and MV field has been increasing exponentially in recent years and, therefore, in this ESC Working Group Position Paper, the overall objective is to provide a set of recommendations for the analysis and translational application of EVs focussing on the diagnosis and therapy of the ischaemic heart. This should help to ensure that the data from emerging studies are robust and repeatable, and optimize the pathway towards the diagnostic and therapeutic use of EVs in clinical studies for patient benefit.

URL de la notice	http://okina.univ-angers.fr/publications/ua20134 [33]
DOI	10.1093/cvr/cvx211 [34]
Lien vers le document	https://academic.oup.com/cardiovascres/article/114/1/19/4585650 [35]
Titre abrégé	Cardiovasc. Res.
Identifiant (ID) PubMed	29106545 [36]

Liens

- [1] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39000>
- [2] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39001>
- [3] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39002>
- [4] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39003>
- [5] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39004>
- [6] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39005>
- [7] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39006>
- [8] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=33873>
- [9] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39007>
- [10] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=33875>
- [11] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=33876>
- [12] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=33865>
- [13] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=33879>
- [14] <http://okina.univ-angers.fr/f.prunier/publications>
- [15] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39008>
- [16] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39009>
- [17] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39010>
- [18] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=39011>
- [19] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=33881>
- [20] <http://okina.univ-angers.fr/publications?f%5Bauthor%5D=33883>
- [21] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=964>
- [22] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=22421>

- [23] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=1207>
- [24] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=29145>
- [25] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=23019>
- [26] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=6046>
- [27] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=2554>
- [28] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=29146>
- [29] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=16738>
- [30] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=991>
- [31] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=28677>
- [32] <http://okina.univ-angers.fr/publications?f%5Bkeyword%5D=7543>
- [33] <http://okina.univ-angers.fr/publications/ua20134>
- [34] <http://dx.doi.org/10.1093/cvr/cvx211>
- [35] <https://academic.oup.com/cardiovascres/article/114/1/19/4585650>
- [36] <http://www.ncbi.nlm.nih.gov/pubmed/29106545?dopt=Abstract>

Publié sur *Okina* (<http://okina.univ-angers.fr>)